

Colonoscopy Prep Instructions MiraLAX Split Prep

PATIENT NAME	PHYSICIAN NAME	
PROCEDURE DATE @ ARRIVAL TIME Procedure Location	PROCEDURE TIME	
Hayes Green Beach Hospital 321 E. Harris St, Charlotte Lansing Surgery Center 1707 Lake Lansing Rd, Lansing McLaren Hospital 3520 Forest Rd, Lansing Sparrow Hospital 1215 E. Michigan Ave, Lansing	☐ Sparrow Health Center 2909 E Grand River, Lansing ☐ Sparrow St. Lawrence 1210 West Saginaw St., Lansing ☐ Eaton Rapids Specialty Clinic 1500 S. Main St, Eaton Rapids	
Labs Please have any ordered bloodwork drawn days before your procedure. A lab requisition for your bloodwork will be provided, if necessary. Females of menstruating years will be required to provide a urine specimen when you arrive at the facility.	Medication Stop all diet medications one week before your procedure. Please notify the scheduler if you are taking the following: Blood thinners Heparin Ticlid Aggrenox Lovenox Trental Coumadin Persantine Effient Plavix Fragmin Pradaxa	
Colonoscopy Overview The purpose of this procedure is to directly visualize the lining	of the colon in order to inspect for disease. The principal risk	

The purpose of this procedure is to directly visualize the lining of the colon in order to inspect for disease. The principal risk of colonoscopy is the remote possibility of perforation. Immediately prior to the passage of the instrument, you may be given intravenous Demerol, Versed, or Propofol. If you are allergic to any of these, latex or eggs please notify the scheduler.

Cancellation Policy

- No fee will be assessed if the procedure is rescheduled within 3 business days.
- Procedures rescheduled beyond 3 days of the original date will be charged a \$50 fee.
- Cancellations that occur after 3 days will be charged a \$100 fee.
- Reschedule and cancellation fees must be paid prior to rescheduling.

Billing Procedure There may be up to four

There may be up to four charges associated with your procedure for Physician, Hospital/Facility, Anesthesia, and Lab. Please verify with your insurance carrier your benefit coverage for each.

	QUESTIONS? Contact (517) 332-1200 ext:	
•	Board-Certified Colorectal Surgeons Daniel C. Coffey, M.D.	Board Gastroen
	Lucas Julien, M.D. Razvan Opreanu, M.D.	Oussama / Radoslav Dori
		Jannel

Learn more about our team at

MichiganGastro.com

Board-Certified Sastroenterologists

Iftiker Ahmad, M.D.
Oussama Al Sawas, M.D.
Radoslav Coleski, M.D.
Dorian Jones, M.D.
Jannel Lee-Allen, MD
Scott Plaehn, D.O.
Robert Rose, D.O.
Albert Ross, M.D.
John Walling Jr., D.O.
Siaka Yusuf, M.D.

One bottle of MiraLAX (238 grams)
One Dulcolay or hisacodyl lavative

One Dulcolax or bisacodyl laxative tablet (not stool softener)

One bottle Magnesium Citrate (10 oz)

Two 32-oz bottles of Powerade lemon-lime or four 16 oz bottles of Propel, or any 64 oz (2 liters) of any (non-red/purple) clear liquid.

This will be used to mix with the MiraLAX.

Hard candy or peppermints if you become nauseated.

Colonoscopy Prep Instructions MiraLAX Split Prep



5 Days Prior To Procedure

• Please refrain from eating foods that contain nuts, seeds or corn. Stop taking fiber and iron supplements.

Clear Liquid Diet

- Coffee, tea, or cola
- Apple, white grape, or white cranberry juice
- Up to 3 cans or bottles of vanilla or butter pecan Ensure or Glucerna (diabetics) labeled "suitable for lactose intolerant".
- Plain Jell-O (no red colors)
- Popsicles (no red colors)

- Artificially sweetened powdered drinks (Kool-Aid, Tang, Crystal Light –no red or purple colors)
- Clear soups and/or broth (strain off all vegetables and noodles)
- Sorbet that does not contain milk or chunks of fruit
- No milk or milk byproducts (cheese, yogurt)
- No grapefruit, tomato, V-8, or orange juice
- No alcoholic drinks

1 Day Before Procedure

- CLEAR LIQUID DIET all day. This starts at 12am when you wake up. No solid foods.
- Drink 8-oz of clear liquids hourly throughout the day.
- Mix entire contents of MiraLAX® with 64 oz (2 liters) of clear liquids in a tall pitcher. Mix well and refrigerate to use throughout the day.
- Diabetics: Use ½ of your usual insulin dose. Do NOT take your diabetic pills today.
- At 3:00 pm, take 1 Dulcolax tablet and continue drinking clear liquids.
- At 6:00 pm, begin drinking 1 cup (8 oz) of the of the laxative solution every 15 minutes (total of 4 cups) You must finish drinking the solution within 1 hour (32 oz. total) to ensure a clean colon.
- It is not unusual to have nausea and vomiting from this medication. If this occurs, stop the laxative, suck on mints or hard candy and resume the drinking the laxative 1 hour later.
- Continue clear liquids 8 oz hourly throughout the evening. If there is no bowel movement or stools are not turning clear by 10 pm, drink 1 bottle of Magnesium Citrate.

Day of Procedure

- You may only have clear liquids the day of your test to complete your prep. No Ensure this day.
- Six hours before the start of your test, begin drinking 1 cup (8 oz) of the laxative solution every 15 minutes (total of 4 cups). You must finish drinking the solution within 1½ hours (32 oz. total) then NOTHING else by mouth prior to your procedure.
- You must finish your prep at least 4 ½ hours prior to your procedure, then nothing by mouth until after the procedure is completed. No water, gum, mints, hard candy, Ensure, chewing tobacco etc. Failure to do so will result in cancellation of your procedure(s).
- Diabetics: Please check your blood sugar and take this information with you to the facility. Do not take your insulin or diabetic pills this morning. Bring all of your insulin with you to the procedure.
- Please only take your heart, blood pressure, seizure, respiratory, anti-rejection or anti-anxiety medications at 6 am with a small sip of water. You may use your inhaler(s).
- You must have an adult 18 years or older remain with you during the procedure and drive you home afterward. Your procedure will be canceled if you fail to meet these requirements.
- Bring your picture ID and insurance cards with you to the facility the day of the procedure. Failure to do so will result in cancellation of your procedure.

Results & Follow-up

- Please go home and rest for the remainder of the day. Do not drive or work or operate machinery.
- Your physician will discuss test results with you and your family member following the procedure.
- You will be given written instructions for diet, activity, and follow up instructions.
- If biopsies were taken, a results letter will be sent through our patient portal. If not a member of Follow My Health and the letter will be mailed to you within 14 days of your procedure.

